

## NOTES ON GEOGRAPHIC DISTRIBUTION

### Magnoliopsida, Gamopetalae, Gentianales, Asclepiadaceae, *Heterostemma deccanense* (Talb.) Swarup & Mangaly: Distribution, extension and geographic distribution map

Chintala Sudhakar Reddy<sup>1</sup>  
Chiranjibi Pattanaik<sup>2</sup>  
Kamasani Narsimha Reddy<sup>3</sup>

<sup>1</sup> Forestry & Ecology Division, National Remote Sensing Centre.  
Hyderabad 500 625, Andhra Pradesh, India.

<sup>2</sup> Salim Ali Centre for Ornithology & Natural History, Deccan Regional Station.  
Hyderabad 500 017, Andhra Pradesh, India. E-mail: chiranjibipattanaik@gmail.com

<sup>3</sup> Laila Impex, R&D Centre, Unit-1, Phase-3, Jawahar Autonagar.  
Vijayawada 520 007, Andhra Pradesh, India.

*Heterostemma deccanense* belongs to the family Asclepiadaceae, order Gentianales, subclass Gamopetalae, Class Magnoliopsida (Dicotyledonae) is a wiry climber species, endemic to Tropical moist mixed deciduous forests of Peninsular India (Figure 1).



**Figure 1.** *Heterostemma deccanense* plant.

The species was first described as *Oianthus deccanensis* by Talbot based on the specimens collected by Krishna from West Pune (Northern Western Ghats) of Maharashtra state of India in 1887. After the type collections the species has not been collected from type locality and elsewhere. Hence, Nayar and Sastry (1987) included it in Red Data Book of Indian Plants, under endangered and possibly extinct category.

Swarupnandan et al. (1989), while studying generic circumscription of *Heterostemma*, *Oianthus deccanensis* is included in the genus *Heterostemma*. Sasidharan and Swarupnandan


(1994) reported it as a rediscovered species from tropical moist deciduous forests of Peechi in Thrissur district of Kerala (Southern Western Ghats), where they located very few individuals. This location is found at about 940 km from the type locality towards south.

Of late, Reddy et al. (2001) located this taxon in the tropical moist deciduous forests of the Eastern Ghats of Northern Andhra Pradesh (East Godavari district, Maredumilli: Geo. coordinates: Latitude 17°39'54" N, Longitude 81°40'10" E altitude 850 m); Khammam district, Sukumamidi: Geo. coordinates, Latitude 17°46'26" N, Longitude 81°36'32" E, altitude 600 m). From the previous reports, this record shows extension of the distribution of *Heterostemma deccanense* to about 850 km from West Pune and about 970 km from Peechi towards east.

It is of considerable phytogeographic interest in context of its distribution pattern, since all the reported sites relatively far to each other (Figure 2). Further intensive studies and a taxonomic revision of the genus *Heterostemma* is required to better define the distribution.

*Heterostemma deccanense* is also having ethnobiological significance (Reddy et al., 2006), used by Kondareddis tribe of Andhra Pradesh in kidney troubles (100g of root powder mixed with wheat flour (ratio: 1:5), roasted and taken as bread) and stomachache (root paste made into pills like a pigeon pea and taken daily twice to till cure).

## NOTES ON GEOGRAPHIC DISTRIBUTION



**Figure 2.** Distribution of *Heterostemma deccanense* in Peninsular India.

### Acknowledgements

We are thankful to Director, Botanical Survey of India, Kolkata for permission to work in herbarium and Prof. V.S. Raju, Kakatiya University, Warangal, Dr. N. Sasidharan, Kerala Forest Research Institute, Kerala for suggestions and encouragement.

### Literature cited

Nayar, M. P. and A. R. K. Sastry. 1987. Red Data Book of Indian Plants, Vol. 1. Botanical Survey of India. Calcutta, 69 p.  
Reddy, C. S., K. N. Reddy, Chiranjibi Pattanaik and V.S. Raju. 2006. Ethnobotanical observations on

some endemic plants of Eastern Ghats, India. Ethnobotanical Leaflets 10: 82-91.  
Reddy, K. N., C. S. Reddy and S. N. Jadhav. 2001. *Heterostemma deccanense* (Talb.) Swarup & Mangaly (Asclepiadaceae): An endangered and endemic taxon in Andhra Pradesh. Indian Forester 127: 1403-1404.

**NOTES ON GEOGRAPHIC DISTRIBUTION**

Sasidharan, N. and K. Swarupanandan. 1994.  
Discovery of some rare and interesting Asclepiads  
from Kerala. *Journal of Economic and Taxonomic  
Botany* 18(3): 34-35.

Swarupanandan, K., N. Sasidharan and J. K. Mangaly.  
1989. A reconsideration of the generic  
circumscription of *Heterostemma* Wight & Arn.

(Asclepiadaceae) and a new species from India.  
*Journal of Linnean Society* 101: 249-259.

Received October 2008

Accepted July 2009

Published online August 2009